

Design and Analysis of Impulse Radio (IR) Based UWB Transmitter with Antenna

Shanjida Shantona^{1*}, Pran Kanai Saha², and Md. Tawfiq Amin³

Department of Electrical Electronic and Communication Engineering (EECE), Military Institute of Science and Technology (MIST), Dhaka, Bangladesh

emails: ¹shanjidaeece07@gmail.com; ²sahapk@eee.buet.ac.bd; and ³tawfiqamin@gmail.com

ARTICLE INFO

Article History:

Received: 16th March 2022

Revised: 25th July 2022

Accepted: 16th August 2022

Published: 29th December 2022

Keywords:

Ultra wide band

Wireless

Transmitter

Layout

Antenna

ABSTRACT

The use of ultra-wideband (UWB) in target detection, radar and wireless connectivity, specifically in the medical world, has attracted a lot of attention. The concept that the IR-UWB system does not necessarily require carrier signals is one of its most appealing features. IR-UWB can transmit information using short Gaussian monocycle pulses. In light of these advantages, this paper proposes a novel UWB transmitter system which consists of UWB signal generating circuits and UWB antenna, which work together to create entire UWB transmitter. It is based on impulses and has a simple architecture with low power consumption. The proposed transmitter is realized in Cadence tools with 90nm CMOS technology and proposed UWB antenna is simulated using Advanced Design System (ADS) simulator software. In addition, the transmitter circuit and the antenna are co-simulated using ADS software. The illustrated UWB transmitter uses a low-power supply and generates **359.44mV** pulse amplitude with pulse duration of **100 ps** for the Gaussian monocycle pulse. Due to its increased output voltage swing and reduced power consumption when comparing to other circuits, the proposed architecture is functional and suitable for use in short-range wireless networks and medical applications.

This work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).

1. INTRODUCTION

Ultra-wideband (UWB) radio technology is highly applied in radar, detection and defense related applications throughout the previous few decades. Since February 2002, when the FCC approved the use of UWB for information transmission and the medical sector (Huo *et al.*, 2017a), much research has been conducted. Subsequently, this communication technology has advanced rapidly in applications demanding high speed wireless communication. UWB radio technology in imaging systems is ideal for medical devices since it allows a doctor to observe the inside status of human anatomy where no surgical process is mandatory. Whereas X-ray and ultrasound require direct touch, UWB devices can operate from a distance (Neto *et al.*, 2015). Basic logic gates are used to develop IR-based UWB transmitters. Additional circuits, like phase locked and delay-locked loops for clock and data synchronization can be included in medical devices and wireless communication design. In medical applications, short pulses generated by UWB technology is sent inside the human body and scattered signals from different organ parts are accumulated and

analyzed based on the received signals. This technology reduces the need for clock synchronization and simplifies the circuitry. Numerous studies have been carried out to comprehend many features of UWB transmitter, hence facilitating newer circuit with enhanced performance parameters. However, there were more scopes to improve the performance of UWB transmitter. Some recent research (Lo *et al.*, 2013; Radic *et al.*, 2020; Bahrami *et al.*, 2015; Notch *et al.*, 2013) have designed UWB transmitter. The mentioned works has reduced the power consumption but there is huge scope of reducing the power by using different components as power consumption is one of the most important parameters for wireless medical devices. Moreover, there is also area of improvement in pulse duration and pulse amplitude since this parameter will improve the transmitter performance in terms of precision ranging, data rate and proper diagnosis. With this improvement, circuit complexity needs to be reduced so that it will be more feasible for fabrication. The above researches also not suggested UWB antenna compatible to the proposed transmission system which is also very important part of UWB transmitter. Taking all these

research gaps into considerations, a new transmitter is proposed in this work.

2. PROPOSED ULTRA-WIDEBAND TRANSMITTER

The design of UWB transmitters for communication networks has been the subject of numerous studies. These architectures considered power requirements and compactness, which are significant design concerns in communication and medical applications(Rezaei et al., 2016). This research work proposes a new structure for UWB transmitter based on impulses that has most of the desired properties. UWB transmitters might employ the Gaussian monocycle pulse (GMP) generating approach to make the circuitry simple and minimize size of the circuit. The designed transmitter consumes very less power which is suitable for medical applications(Krasnov et al., 2020), and moreover it does not require frequency retrieval at the output. Block diagram of the proposed transmitter with antenna is illustrated in Figure 1 where all the functional blocks are shown.




Figure 1: Block diagram of proposed IR-UWB transmitter with antenna

A. Voltage Controlled Oscillator (VCO)

The frequency of the generated signal by current starved voltage-controlled oscillator (CSVCO) is controlled by the input controlling voltage. The generated output voltage frequency can be adjusted over a wide range (Hz to GHz) by changing the regulating input(Aristov et al., 2021). Another significant benefit of CSVCO is that the amplitude is maintained. Because of these benefits, a Current Starved VCO is employed in the proposed transmitter architecture, which consumes less power, has a wide range of oscillation frequencies and is simple to manufacture. The voltage-controlled oscillator included in this investigation contains three phases, as presented in Figure 2. Each delay inverter is formed by two MOSFETs

(one N-channel and one P-channel), and other two function as current sources, limiting the amount of current flow through the inverter. For fluctuation of the regulating voltage from 300mV to 800mV, the oscillating frequency varies from 1GHz to 10GHz. The linearity of the circuit is affected by temperature.

B. OOK Modulator

When the signal is low, no carrier is sent in case of on-off keying (OOK) modulation scheme which is a basic modulation scheme for representing binary data (Hamza, 2016). For a given data rate, the signal bandwidth of a BPSK (Binary Phase Shift Keying) modulation and the signal bandwidth of an OOK modulation are the same. Furthermore, the modulator portion's digital logic circuit requires extremely little power. One of the inputs of the modulator is the clock signal generated from CSVCO and in another input binary data signal is given. If the information bit is one, this scheme delivers pulses; otherwise, no pulse is sent. The pulse frequency is determined by the clock input, and the total number of pulses is determined by the binary data signal.

C. Gaussian Pulse generator, Differentiator and Differential Circuit

Because they are affordable and simple to create, Gaussian pulses are used in short to medium communications networks. Despite the ease of the generating method, attaining pulse durations of a hundred picoseconds is tough. To generate a Gaussian pulse train either sine wave or square wave can be used (He & Zhang, 2010). In this work, a NOR gate is utilized to form a Gaussian pulse generator. OOK modulated clock signal is one of the two inputs of the NOR gates while the other is the inverted and lagged modulated clock signal(Belattar, 2018). To generate a negative Gaussian pulse, the positive Gaussian pulse is passed through an inverter(Fukuda et al., 2015). These positive and negative Gaussian pulses are then differentiated using a differentiator circuit. In dual input balanced output differential amplifier circuit one input is the output of the differentiator and other input is grounded. Because of the differential form of output, the transmitter circuit is ideal for use with UWB antennas(Huo et al., 2017b).The schematic diagram of transmitter circuit except antenna is shown in Figure 2.




Figure 2: Architecture of proposed transmitter circuit

D. UWB Antenna Design

A simple coplanar wave guide (CPW) fed aperture antenna with UWB characteristics is designed and integrated with the proposed transmitter circuit. In (Li *et al.*, 2008), umbrella shaped antenna was proposed with bigger size. Using that concept, modifying ground plane and slotted radiation patch umbrella shaped antenna is introduced in this work. As a result, the overall size of the antenna reduced and radiation pattern and gain are also improved. Figure 3 depicts the suggested UWB antenna layout. The dimension of the antenna including ground plane corners is 32mmx28.5mm. A rectangular aperture cut out of the ground plane of a PCB and a CPW-fed umbrella-shaped radiation patch forms the antenna. The antenna is made on a moderate FR4 substrate with a dielectric constant of 4.3 and a thickness of 1.5 mm. The optimal dimensions of the various parts of the antenna are presented in Table 1. The end of the CPW feed line is attached to the semicircle endpoint of radius r1. The extrusion depth is 2mm of the umbrella-shaped patch and a semicircle slot is introduced onto the radiation patch to improve the bandwidth and gain of the designed antenna.




Figure 3: Geometry of the designed UWB antenna

Table 1
Antenna Dimensions, mm

L1	L2	L3	L4	L5	W1	d
28.5	10	12	26	13	3.6	1.9
W2	W3	Wa	Wg	r 1	r 2	-
28	14	32	22	6	2.3	-

A 50 Ω CPW transmission line powers the tiny rectangular aperture antenna (Gopi *et al.*, 2021). The umbrella-shaped patch is used in the designed antenna to improve the connectivity between the slot and the feed line, allowing the antenna to reach ultra-wideband performance (Li *et al.*, 2008). The upper two corner of the ground plane is modified (angular) which also improves antenna performance and reduces the size also (Bian & Che, 2008). The antenna returns loss bandwidth, radiation patterns, gain, group delay, and transmitted pulses waveform distortion were all calculated using Advanced Design System (ADS) software. The suggested antenna employs a CPW supplied technique to produce 50 ohms input impedance.

E. Integrating Proposed Transmitter Circuit and Antenna

At first the transmitter circuit was implemented using Cadence virtuoso software and also the layout of the different parts of the circuit were generated by using the same software. Now to integrate the circuit of the transmitter with designed UWB antenna and to do EM/circuit co-simulation of transmitter circuit and UWB antenna, Advanced Design System (ADS) software is used (Hamza, 2016). The whole circuit having CSVCO, OOK modulator, Gaussian pulse generator, differentiator and differential amplifier was co-simulated with UWB antenna using ADS software but the last two functional blocks with antenna is shown in figure 4.




Figure 4: Schematic diagram representing integration of transmitter circuit with Antenna (Last 2 blocks of transmitter circuit are shown with antenna)

3. RESULTS AND DISCUSSION

A. Simulated Results from Transmitter Schematic

The proposed transmitter circuitry, which was constructed using 90 nm CMOS process technology, was simulated using Cadence simulator tools. The proposed transmitter output waveforms are shown in Figure 5 at various stages. The pulse duration and pulse swing of the generated Gaussian mono pulse output are also determined from single GMP and bandwidth is determined from FFT of one GMP (Figures 6 and 7 respectively) (Ping, 2017).

From Figure 7 it is seen that the duration of pulse is 100ps and amplitude is 359.44mV. Figure 6 shows the power spectral density of a single GMP, which gives a 10.6 GHz bandwidth at -3dB point. Total calculated power consumption of the proposed architecture is 0.831 mW. The architecture of the pulse train also allows for higher maximum data rate while maintaining a narrow pulse width.

B. Simulated Result from Layout of Transmitter

Figures 8 to 12 show the layout of several blocks of the planned transmitter, which is implemented using Cadence tools and uses 90nm CMOS technology. The dimension of the CSVCO's is $12.64\mu\text{m} \times 16.73\mu\text{m}$, dimension of the modulator is $15.3\mu\text{m} \times 13.53\mu\text{m}$, the dimension of the Gaussian pulse generator is $10\mu\text{m} \times 15.61\mu\text{m}$, the dimension of the differentiator is $15.03\mu\text{m} \times 15.64\mu\text{m}$, and the differential amplifier measurement is $12.22\mu\text{m} \times 11.63\mu\text{m}$. The five blocks combined have a total dimension of $65.19\mu\text{m} \times 73.14\mu\text{m}$. Using a perfect sinusoidal input signal, the output characteristic curve of the schematic and layout are being examined. Only in differentiator circuit, a square wave was given as an input signal. Due to parasitic components, there is a slight discrepancy in the outputs between the schematic and the layout (Figures 13 to 17). With no errors, the layout passed the 90nm CMOS design rule check (DRC), as well as the LVS and RC checks, ensuring a successful design following fabrication.




Figure 5: Output at different stages of proposed transmitter




Figure 6: Power spectral density of single GMP




Figure 7: Gaussian monocycle pulse (single)




Figure 8: CSVCO layout




Figure 11: Differentiator circuit layout




Figure 9: OOK modulator layout




Figure 12: Differential circuit layout




Figure 10: GP generator layout




Figure 13: Layout and schematic output of CSVCO




Figure 14: Layout and schematic output of OOK modulator




Figure 15: Layout and schematic output of GP generator




Figure 16: Layout and schematic output of differentiator




Figure 17: Layout and schematic output of Differential Amplifier

C. Process Corner Analysis of Designed Ultra-Wideband Transmitter

Any circuit based on devices generated at some of these process corners can function at high or low temperatures and voltages than needed, as well as slower or quicker than required (Osipov & Paul, 2017). As a result, an assessment of the suggested transmitter's process corners is also carried out to ensure that the designed transmitter functions properly at various process corners and temperatures.

The Simulated output for the NN, SS, SF, FS, and FF situations differs (Figure 16). Even, when the process or temperature change, the transmitter offers adequate pulse duration and bandwidth and pulse amplitude (Figure 19).




Figure 18: Output Gaussian pulse at (a) different process corner




Figure 19: Output Gaussian pulse at different temperature

D. Simulated Outputs of transmitter and antenna using ADS software

Figure 20 illustrates the output GMP from proposed UWB transmitter simulated using ADS simulator which is same as the previously generated GMP from Cadence software. The return loss of the CPW fed UWB aperture antenna is shown in Figure 21. The suggested antenna fulfills the -10 dB return loss (3.1 – 10.6) GHz.




Figure 20: Output GMP from ADS simulator




Figure 21: Return Loss of proposed UWB Antenna

The simulation of current distribution on the surface of proposed antenna at specified frequencies of 6 GHz and 10 GHz is shown in Figure 22 (Uwb & Itapu, n.d.). Figure 23 shows the s-parameter obtained from EM/circuit simulation of transmitter circuit and antenna (from circuit set-up of Figure 4).




Figure 22: Simulated current distributions on the surface of the proposed antenna

Figure 23 depicts an ADS 3D representation of the proposed antenna's predicted radiation pattern at (6 GHz, 10 GHz). According to simulated result shown in Figure 23, the antenna has steady radiation patterns over the UWB, and the direction of greatest radiation is always around the z-axis (normal to the aperture plane). Figure 24 shows the antenna return loss after connecting the antenna with transmitter circuit which is obtained from EM/circuit co-simulation using ADS software. From this result it is seen that even after being connected with designed transmitter, the antenna fulfills the -10 dB return loss for ultra-wide bandwidth.




Figure 23: 3D plot of radiation pattern of proposed antenna

Figures 25 and 26 show the proposed antenna's gain, directivity, radiated power and absolute fields. Data was simulated at two different frequencies (6 GHz and 10 GHz). The information is displayed as 2-dimensional slices of a 3-dimensional radiation pattern.




Figure 24: Antenna return loss from EM/circuit co-simulation




Figure 25: Gain, Directivity, Radiated power and Absolute Fields of the proposed antenna at 6 GHz.




Figure 26: Gain, Directivity, Radiated power and Absolute Fields of the proposed antenna at 10 GHz

Table 2
Comparison of Presented Transmitter Parameters with Previous Works

Ref	Technology	Si Area (mm ²)	Power Con. (mW)	Energy (pJ/b)	Output Pulse width (ps)	Modulation technique
(Lo et al., 2013)	180nm CMOS	1.37 x 1.37	11.8	98.3	1000	OOK
(Radic et al., 2020)	180nm CMOS	0.63 x 0.63	1	5	600	OOK
(Bahrami et al., 2015)	180nm CMOS	0.10 x 0.10	5.4	10.8	800	OOK
(Notch et al., 2013)	90nm CMOS	1.38 x 1.38	26.4	65	2500	BPSK
This work	90nm CMOS	0.065x0.073	0.831	3.324	100	OOK

To illustrate the contribution of this research work in the field of UWB transmitter in medical applications, above table is presented which is showing in the comparison between the important output parameters of the presented transmitter with other reference papers which were followed during this work.

9. CONCLUSIONS

Because of its less complex circuitry and low consumption of power, a UWB transmitter is ideal for medical devices applications, remote patient monitoring wireless networking, intra chip communication and short distance local area networks. The presented structure consumes 0.831 mW power in total. This study proposes a complete impulse radio-based UWB transmitter on 90nm CMOS technology along with antenna. The simulated output waveforms obtained demonstrate the transmitter's capability. It is also possible to use a higher-order differentiator circuit. Other Gaussian pulse derivatives can also be constructed with intra chip silicon UWB antenna in the future.

ACKNOWLEDGEMENTS

The authors would like to express their gratitude to the Department of EECE, MIST, Bangladesh. They are also thankful to the editors and reviewers of the MIJST for the suggestions and comments to improvement the contents of the manuscript.

REFERENCES

Aristov, V., Gaigals, G., Supols, G., Lobanovs, E., Riekstins, V., & Zujs, V. (2021). Ultra-Wideband Pulse Radar with Discrete Stroboscopic Receiver for Detection of Small Targets behind Dielectric Obstacles. *Transport and Telecommunication*, 22(2), 196–206. <https://doi.org/10.2478/tj-2021-0015>

Bahrami, H., Mirbozorgi, S. A., Rusch, L. A., & Gosselin, B. (2015). Integrated UWB Transmitter and Antenna Design for Interfacing High-Density Brain Microprobes. *2015 IEEE International Conference on Ubiquitous Wireless Broadband, ICUWB 2015*, 0–4. <https://doi.org/10.1109/ICUWB.2015.7324465>

Belattar, M. (2018). Chapter III : Phase Shift Keying modulation and demodulation. February.

Bian, L., & Che, X. (2008). Application of Equivalent Circuit Method in Designing the Vivaldi UWB Antenna. *2008 4th International Conference on Wireless Communications, Networking and Mobile Computing*, 1–3. <https://doi.org/10.1109/WiCom.2008.256>

Fukuda, M., Saha, P. K., Sasaki, N., Nitta, M., & Kikkawa, T. (2015). A 0.18 μm CMOS Impulse Radio Based UWB Transmitter for Global Wireless Interconnections of 3D Stacked-Chip System. 23(12), 142–143. <https://doi.org/10.7567/ssdm.2006.c-2-5>

Gopi, D., Raju, A., & Kumar, V. J. R. K. (2021). DGS based monopole circular - shaped patch antenna for UWB applications. *SN Applied Sciences*, 3(2), 1–12. <https://doi.org/10.1007/s42452-020-04123-w>

Hamza, H. A. (2016). Design of CMOS IR-UWB Transmitter Design of CMOS IR-UWB Transmitter. December.

He, J., & Zhang, Y. (2010). A CMOS differential fifth-derivative Gaussian pulse generator for UWB applications. *Microwave and Optical Technology Letters*, 52, 1849–1852. <https://doi.org/10.1002/mop.25342>

Huo, Y., Dong, X., & Lu, P. (2017a). Ultra-wideband transmitter design based on a new transmitted reference pulse cluster. *ICT Express*, 3(3), 142–147. <https://doi.org/10.1016/j.ict.2017.07.001>

Huo, Y., Dong, X., & Lu, P. (2017b). Ultra-wideband transmitter design based on a new transmitted reference pulse cluster. *ICT Express*, 3(3), 142–147. <https://doi.org/10.1016/j.ict.2017.07.001>

Krasnov, T. V., Garifullin, V. F., Feoktistov, D. S., Bondarenko, V. N., & Baturin, T. N. (2020). Research of data transmission system based on UWB technology. *Journal of Physics: Conference Series*, 1515(2). <https://doi.org/10.1088/1742-6596/1515/2/022063>

- Li, Z., Zhang, C. X., Wang, G. M., & Su, W. R. (2008). Designs on CPW-fed aperture antenna for ultra-wideband applications. *Progress In Electromagnetics Research C*, 2, 1–6. <https://doi.org/10.2528/PIERC08030501>
- Lo, Y. T., Yui, C. C., & Kiang, J. F. (2013). OOK/BPSK-modulated impulse transmitters integrated with leakage-cancelling circuit. *IEEE Transactions on Microwave Theory and Techniques*, 61(1), 218–224. <https://doi.org/10.1109/TMTT.2012.2226746>
- Neto, J. F., Moreira, L. C., Ferauche, T., Corraera, F. S., & Van Noije, W. A. M. (2015). A design of a BPSK transmitter front end for ultra-wideband in 130nm CMOS. *SBMO/IEEE MTT-S International Microwave and Optoelectronics Conference Proceedings*, 2015-Decem, 5–9. <https://doi.org/10.1109/IMOC.2015.7369175>
- Notch, W. I., Hedayati, H., Member, S., & Entesari, K. (2013). A 90-nm CMOS UWB Impulse Radio Transmitter. 61(12), 4220–4232.
- Osipov, D., & Paul, S. (2017). Temperature-Compensated β -Multiplier Current Reference Circuit. *IEEE Transactions on Circuits and Systems II: Express Briefs*, 64(10), 1162–1166. <https://doi.org/10.1109/TCSII.2016.2634779>
- Ping, L. C. (2017). Equivalent circuit model of octagonal ultra wideband (UWB) antenna. *Journal of Engineering Science and Technology*, 12(2), 439–450.
- Radic, J., Brkic, M., Djugova, A., Videnovic-Misic, M., Goll, B., & Zimmermann, H. (2020). Ultra-low power low-complexity 3-7.5 GHz IRUWB transmitter with spectrum tunability. *IET Circuits, Devices and Systems*, 14(4), 521–527. <https://doi.org/10.1049/iet-cds.2019.0392>
- Rezaei, M., Bahrami, H., Mirbozorgi, A., Rusch, L. A., & Gosselin, B. (2016). A short-impulse UWB BPSK transmitter for large-scale neural recording implants. *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, 2016-Octob, 6315–6318. <https://doi.org/10.1109/EMBC.2016.7592172>
- Uwb, A. G., & Itapu, S. (n.d.). A 3 – 18 GHz UWB Antenna with modified feed-line. 1–14.